



G4 Organic Technical Data
dimensions

G4 Organic Roulette




Technical Scheme & Data




2733mm / 107.6"




2733mm / 107.6"




2733mm / 107.6"



2733mm / 107.6"



3490mm / 137.4"



Dimensions

	no. of playstations	length (mm / inch)	width (mm / inch)	height of playstations
OR 4 Wall	4	2733/107,6	1747/68,8	919/36,1
OR 4 Central	5	2733/107,6	1455/57,3	919/36,1
OR 6	6	2733/107,6	2312/91,02	919/36,1
OR 8	8	2733/107,6	2733/107,6	919/36,1
OR 10	10	2733/107,6	3490/137,4	919/36,1
OR 12	12	4482/176,4	3026/119,1	2552/100,4

Weight


	kg / lbs
OR 4 Wall	705/1551
OR 4 Central	710/1562
OR 6	868/1910
OR 8	1048/2306
OR 10	1288/2834
OR 12	2122/4668

Electricity



	power & voltage	required fuse 230 V	required fuse 120 V	max power
OR 4 Wall	230 Vac/50 Hz 120 Vac/60 Hz	16A; slow	20A; slow	900W
OR 4 Central	230 Vac/50 Hz 120 Vac/60 Hz	16A; slow	20A; slow	900W
OR 6	230 Vac/50 Hz 120 Vac/60 Hz	16A; slow	20A; slow	1150W
OR 8	230 Vac/50 Hz 120 Vac/60 Hz	16A; slow	20A; slow	1400W
OR 10	230 Vac/50 Hz 120 Vac/60 Hz	16A; slow	20A; slow	1650W
OR 12	230 Vac/50 Hz 120 Vac/60 Hz	16A; slow	20A; slow	1900W

G4 Organic Dice



Technical Scheme & Data





2733MM / 107.6"





2733MM / 107.6"



2733MM / 107.6"



2733MM / 107.6"



3490MM / 137.4"



Dimensions

	no. of playstations	length (mm / inch)	width (mm / inch)	height of playstations
OD 4	4	2733/107,6	1455/57,3	919/36,1
OD 6	6	2733/107,6	2312,91,02	919/36,1
OD 8	8	2733/107,6	2733/107,6	919/36,1
OD 10	10	2733/107,6	3493/137,5	1039/40,9
OD 12	12	4482/176,5	3026/119,1	2552/100,5

Weight







	kg / lbs
OD 4	710/1562
OD 6	868/1910
OD 8	1007/2215
OD 10	1247/2743
OD 12	2122/4668

Electricity

	power & voltage	required fuse 230 V	required fuse 120 V	max power
OD 4	230 Vac/50 Hz 120 Vac/60 Hz	16A; slow	15A; slow	900W
OD 6	230 Vac/50 Hz 120 Vac/60 Hz	16A; slow	15A; slow	1150W
OD 8	230 Vac/50 Hz 120 Vac/60 Hz	16A; slow	15A; slow	1400W
OD 10	230 Vac/50 Hz 120 Vac/60 Hz	16A; slow	20A; slow	1650W
OD 12	230 Vac/50 Hz 120 Vac/60 Hz	16A; slow	20A; slow	1900W

G4 Organic FBS

Technical Scheme & Data



2702MM / 106.4"

2733MM / 107.6"

3030MM / 119.3"

Dimensions

	no. of playstations	length (mm / inch)	width (mm / inch)	height
OR/OD 8 FBS	8	2702/106,4	3030/119,3	2566/101,0
OR/OD 10 FBS	10	2733/107,6	3772/148,5	2566/101,0
OR/OD 12 FBS	12	3030/119,3	4484/176,5	2566/101,0

Weight





	kg / lbs
OR/OD 8 FBS	1460/3220
OR/OD 10 FBS	1580/3476
OR/OD 12 FBS	1800/3960

Electricity

	power & voltage	required fuse 230 V	required fuse 120 V	max power
OR/OD 8 FBS	230 Vac/50 Hz 120 Vac/60 Hz	2 x 16A; slow	2 x 20A; slow	2600W
OR/OD 10 FBS	230 Vac/50 Hz 120 Vac/60 Hz	2 x 16A; slow	2 x 20A; slow	2800W
OR/OD 12 FBS	230 Vac/50 Hz 120 Vac/60 Hz	2 x 16A; slow	2 x 20A; slow	3000W

G4 Organic Card

Technical Scheme & Data



Dimensions

	no. of playstations	length (mm / inch)	width (mm / inch)	height of playstations
OC 6	6	2733/107,6	2641/103,9	2033/80
OC 7	7	2733/107,6	2852/112,3	2033/80

Weight




	kg / lbs
OC 6	1155/2541
OC 7	1242/2732

Electricity

	power & voltage	required fuse 230 V	required fuse 120 V	max power
OC 6	230 Vac/50 Hz 120 Vac/60 Hz	16A; slow	20A; slow	1650W
OC 7	230 Vac/50 Hz 120 Vac/60 Hz	16A; slow	20A; slow	1800W

G4 Organic Virtual

Technical Scheme & Data



Dimensions

	no. of playstations	length (mm / inch)	width (mm / inch)	height of playstations
OV 7	7	2733/107,6	2852/112,3	2033,80
OV 10	10	2733/107,6	3493/137,5	919/36,1

Weight







	kg / lbs
OV 7	826/1817
OV 10	1128/2834

Electricity

	power & voltage	required fuse 230 V	required fuse 120 V	max power
OV 7	230 Vac/50 Hz 120 Vac/60 Hz	16A; slow	20A; slow	2200W
OV 10	230 Vac/50 Hz 120 Vac/60 Hz	16A; slow	20A; slow	2500W

G4 Organic Multicenter

Technical Scheme & Data



Dimensions

	no. of playstations	length (mm / inch)	width (mm / inch)	height of playstations
OT 12	12	2733/107,6	4251/167,4	919/36,1
OT 14	14	2733/107,6	5013/197,4	2105/82,9
OT 16	16	2733/107,6	5771/227,2	2121/83,5

Weight







	kg / lbs
OT 12	1840/4048
OT 14	2122/4668
OT 16	2365/5203

Electricity

	power & voltage	required fuse 230 V	required fuse 120 V	max power
OT 12	230 Vac/50 Hz 120 Vac/60 Hz	3 x 16A; slow	3 x 20A; slow	2850W
OT 14	230 Vac/50 Hz 120 Vac/60 Hz	3 x 16A; slow	3 x 20A; slow	3100W
OT 16	230 Vac/50 Hz 120 Vac/60 Hz	3 x 16A; slow	3 x 20A; slow	3350W

G4 Organic Multicenter FBS

Technical Scheme & Data



3052MM / 120.1"

3032MM / 119.3"

3053MM / 120.2"

Dimensions

	no. of playstations	length (mm / inch)	width (mm / inch)	height of playstations
OT 10 FBS	10	3052/120,1	3772/148,5	2566/101,0
OT 12 FBS	12	3032/119,3	4484/176,5	2566/101,0
OT 14 FBS	14	3053/120,2	5126/203,2	2566/101,0

Weight



	kg / lbs
OT 10 FBS	1730/3806
OT 12 FBS	1950/4290
OT 14 FBS	2180/4796

Electricity

	power & voltage	required fuse 230 V	required fuse 120 V	max power
OT 10 FBS	230 Vac/50 Hz 120 Vac/60 Hz	3 x 16A; slow	3 x 20A; slow	3100W
OT 12 FBS	230 Vac/50 Hz 120 Vac/60 Hz	3 x 16A; slow	3 x 20A; slow	3350W
OT 14 FBS	230 Vac/50 Hz 120 Vac/60 Hz	3 x 16A; slow	3 x 20A; slow	3600W

G4 Organic Live

Technical Scheme & Data



Dimensions

	no. of playstations	length (mm / inch)	width (mm / inch)	height of playstations
OL 6	6	3490/137,4	1798/70,8	919/36,1
OL 9	9	2733/107,6	3810/150	2500/98,4
OL 14	14	4755/187,2	3724/146,6	2500/98,4

Weight




	kg / lbs
OL 6	712/1566
OL 9	1088/2394
OL 14	1421/3126

Electricity

	power & voltage	required fuse 230 V	required fuse 120 V	max power
OL 6	230 Vac/50 Hz 120 Vac/60 Hz	16A; slow	20A; slow	1200W
OL 9	230 Vac/50 Hz 120 Vac/60 Hz	16A; slow	20A; slow	1600W
OL 14	230 Vac/50 Hz 120 Vac/60 Hz	16A; slow	3 x 20A; slow	2100W

G4 Organic Centers

Technical Scheme & Data



Dimensions

	length (mm / inch)	width (mm / inch)	height of playstations
CARD	1514/59,6	2274/89,5	1137/44,8
ROULETTE	1401/55,2	1401/55,2	973/38,3
DICE	1401/55,2	1401/55,2	1092/43

Weight


	kg / lbs
CARD	560/1232
ROULETTE	380/836
DICE	360/792

Electricity

	power & voltage	required fuse 230 V	required fuse 120 V	max power
CARD	230 Vac/50 Hz 120 Vac/60 Hz	16A; slow	20A; slow	700W
ROULETTE	230 Vac/50 Hz 120 Vac/60 Hz	16A; slow	20A; slow	400W
DICE	230 Vac/50 Hz 120 Vac/60 Hz	16A; slow	20A; slow	400W

G4 Organic Station

Technical Scheme & Data



Dimensions

	no. of playstations	length (mm / inch)	width (mm / inch)	height of playstations
STATION	1	841/33,1	700/27,6	871/34,3
2 STATIONS	2	841/33,1	1460/57,5	871/34,3
3 STATIONS	3	841/33,1	2220/87,4	871/34,3
4 STATIONS	4	841/33,1	2980/117,3	871/34,3

Weight



	kg / lbs
STATION	89/196
2 STATIONS	191/420
3 STATIONS	292/642
4 STATIONS	394/867

Electricity

	power & voltage	required fuse 230 V	required fuse 120 V	max power
STATION	230 Vac/50 Hz 120 Vac/60 Hz	16A; slow	20A; slow	120W
2 STATIONS	230 Vac/50 Hz 120 Vac/60 Hz	16A; slow	20A; slow	240W
3 STATIONS	230 Vac/50 Hz 120 Vac/60 Hz	16A; slow	20A; slow	360W
4 STATIONS	230 Vac/50 Hz 120 Vac/60 Hz	16A; slow	20A; slow	480W

G4 Organic PID

Technical Scheme & Data



Dimensions

	depth1/depth2 (mm / inch)	width (mm / inch)	height
SINGLE-SIDED	812/32	669/26,4	2108/83
DOUBLE-SIDED	812/32	669/26,4	2108/83
TWINS -INTEGRATED	666/26	493/19,4	2121/83
LD ISLAND	281/11,1	4056/160,0	3991/157,1

Weight


	kg / lbs
SINGLE-SIDED	70/154
DOUBLE-SIDED	110/242
TWINS -INTEGRATED	176/387
LD ISLAND	220/484

Electricity

	power & voltage	required fuse 230 V	required fuse 120 V	max power
SINGLE-SIDED	230 Vac/50 Hz 120 Vac/60 Hz	16A; slow	20A; slow	200W
DOUBLE-SIDED	230 Vac/50 Hz 120 Vac/60 Hz	16A; slow	20A; slow	300W
TWINS -INTEGRATED	230 Vac/50 Hz 120 Vac/60 Hz	16A; slow	20A; slow	600W
LD ISLAND	230 Vac/50 Hz 120 Vac/60 Hz	2 x 16A; slow	2 x 20A; slow	1600W

G4 Organic Chair

Technical Scheme & Data



Dimensions

	depth (mm / inch)	height (mm / inch)	max. seat height (mm / inch)
G4 CHAIR	598/23,5	1122/44,2	734/28,9